












Spare parts for EDM
FANUC












Atiur code	Original Code	Picture	Description	Machine model
POWER FEED CONTACT				
F001	A97L-0001-0664		Power feed contact lower OD25 x ID9 x 10 mmT	W0. E. H. K. L. M series
F002	A97L-0126-0001		Power feed contact upper & lower OD16 x ID6 x 6.3 mmT	O. P. Q. R. T. V series W0. W1. W2. W3. W4 series
F003	A290-8008-X107		Power feed contact upper & lower OD8 x ID4 x 10 mmT	K. N. M series
F004	A290-8032-Z882		Power feed contact grooved upper & lower OD16 x ID6 x 6.3 mmT	W1. W2. W3. W4 series AWF
F005	A290-8101-X750		Power feeder contact upper & lower 2.8 mmT x 7.7 mmW x 23 mmL	Alpha-0A. 1A. 0B. 1B series Manual/AWF
F006	A290-8110-X750		Power feed contact upper & lower 4 x 12 x 30 mm - long length / special type	Alpha-0A. 1A. 0B. 1B series Manual/AWF
F006-1(23)	A290-8110-X750		Power feed contact upper & lower 4 x 12 x 23 mm	Alpha-0A. 1A. 0B. 1B series Manual/AWF
F006-2	A290-8008-X107		Power feed contact upper & lower 3 x 12 x 30 mm	Alpha-0B. 0C series Manual / AWF
F007	A290-8048-X759		Power feed contact upper OD15 x ID6 x 6 mmT	W0 type



Spare parts for EDM
FANUC




Atiur code	Original Code	Picture	Description	Machine model
DIES AND GUIDE PARTS				
F101	A290-8021-X762		Guide diamond upper D=0.055 mm	O. P. Q. R. T. W series
	A290-8021-X763		Guide diamond upper D=0.105 mm	
	A290-8021-X764		Guide diamond upper D=0.155 mm	
	A290-8021-X765		Guide diamond upper D=0.205 mm	
	A290-8021-X766		Guide diamond upper D=0.255 mm	
	A290-8021-X767		Guide diamond upper D=0.305 mm	
F102	A290-8021-X772		Guide diamond lower D=0.055 mm	O. P. Q. R. T. W series
	A290-8021-X773		Guide diamond lower D=0.105 mm	
	A290-8021-X774		Guide diamond lower D=0.155 mm	
	A290-8021-X775		Guide diamond lower D=0.205 mm	
	A290-8021-X776		Guide diamond lower D=0.255 mm	
	A290-8021-X777		Guide diamond lower D=0.305 mm	
F102T	A290-8021-Y775		Guide diamond lower D=0.205 mm	O. P. Q. R. T. W series Manual for taper
	A290-8021-Y776		Guide diamond lower D=0.255 mm	
	A290-8021-Y777		Guide diamond lower D=0.305 mm	
F103	A290-8032-X772		Guide diamond upper D=0.105 mm	T. W series AWF
	A290-8032-X774		Guide diamond upper D=0.155 mm	
	A290-8032-X775		Guide diamond upper D=0.205 mm	
	A290-8032-X776		Guide diamond upper D=0.255 mm	
	A290-8032-X777		Guide diamond upper D=0.305 mm	
F103T	A290-8032-Y765		Guide diamond upper D=0.205 mm	O. P. Q. R. T. W series Manual for taper
	A290-8032-Y766		Guide diamond upper D=0.255 mm	
	A290-8032-Y767		Guide diamond upper D=0.305 mm	
F104	A290-8032-X732		Guide diamond lower (without spring type) D=0.105 mm	T. W series AWF
	A290-8032-X734		Guide diamond lower (without spring type) D=0.155 mm	
	A290-8032-X735		Guide diamond lower (without spring type) D=0.205 mm	
	A290-8032-X736		Guide diamond lower (without spring type) D=0.255 mm	
	A290-8032-X737		Guide diamond lower (without spring type) D=0.305 mm	
F104T	A290-8032-X765		Guide diamond lower D=0.205 mm	T. W series Manual for taper 30Gr.
	A290-8032-X766		Guide diamond lower D=0.255 mm	
	A290-8032-X767		Guide diamond lower D=0.305 mm	
F105	A290-8018-X443		Guide diamond lower D=0.205 mm	K. M. N. L series AWF
	A290-8018-X444		Guide diamond lower D=0.255 mm	
	A290-8018-X445		Guide diamond lower D=0.305 mm	
F106	A290-8011-X831		Guide diamond upper & lower D=0.105 mm	K. M. N. L series AWF
	A290-8011-X832		Guide diamond upper & lower D=0.155 mm	
	A290-8011-X833		Guide diamond upper & lower D=0.205 mm	
	A290-8011-X834		Guide diamond upper & lower D=0.255 mm	
	A290-8011-X835		Guide diamond upper & lower D=0.305 mm	



Spare parts for EDM
FANUC



Atiur code	Original Code	Picture	Description	Machine model
DIES AND GUIDE PARTS				
F107	A290-8018-X463		Guide diamond upper D=0.205 mm	K. M. N. L series AWF
	A290-8018-X464		Guide diamond upper D=0.255 mm	
	A290-8018-X465		Guide diamond upper D=0.305 mm	
F108	A290-8011-X753		Guide diamond upper & lower D=0.205 mm	K. M. N. L series Manual
	A290-8011-X754		Guide diamond upper & lower D=0.255 mm	
	A290-8011-X755		Guide diamond upper & lower D=0.305 mm	
F110	A290-8101-X730		Guide diamond upper D=0.105 mm	∅-A. B. C. iA. iB series Manual type 2.69 x 16.50 mm
	A290-8101-X732		Guide diamond upper D=0.155 mm	
	A290-8101-X733		Guide diamond upper D=0.205 mm	
	A290-8101-X734		Guide diamond upper D=0.255 mm	
	A290-8101-X735		Guide diamond upper D=0.305 mm	
F110T	A290-8103-X705		Guide diamond upper D=0.205 mm	∅-A/B/C/iA/iB series Manual for taper 45Gr
	A290-8103-X706		Guide diamond upper D=0.255 mm	
	A290-8103-X707		Guide diamond upper D=0.305 mm	
F111	A290-8101-X743		Guide diamond lower D=0.205 mm	∅-A. B. C. iA. iB series Manual type 2.69 x 16.50 mm
	A290-8101-X744		Guide diamond lower D=0.255 mm	
	A290-8101-X745		Guide diamond lower D=0.305 mm	
F111T	A290-8109-X715		Guide diamond lower D=0.205 mm	∅-A. B. C. iA. iB series Manual type for taper 45Gr
	A290-8109-X716		Guide diamond lower D=0.255 mm	
	A290-8109-X717		Guide diamond lower D=0.305 mm	
F112	A290-8092-X702		Wire guide upper D=0.105 mm	∅-A. B. C. iA. iB series AWF
	A290-8092-X703		Wire guide upper D=0.145 mm	
	A290-8092-X704		Wire guide upper D=0.155 mm	
	A290-8092-X705		Wire guide upper D=0.205 mm	
	A290-8092-X706		Wire guide upper D=0.255 mm	
	A290-8092-X707		Wire guide upper D=0.305 mm	
	A290-8092-X708		Wire guide upper D=0.335 mm	
F112T	A290-8104-X705		Wire guide upper D=0.205 mm	∅-A. B. C. iA. iB series AWF for taper 45Gr
	A290-8104-X706		Wire guide upper D=0.255 mm	
	A290-8104-X707		Wire guide upper D=0.305 mm	
F113	A290-8110-X715		Wire guide lower D=0.205 mm	∅-A. B. C. iA. iB series AWF
	A290-8110-X716		Wire guide lower D=0.255 mm	
	A290-8110-X717		Wire guide lower D=0.305 mm	
F113T	A290-8110-Z715		Wire guide lower D=0.205 mm	∅-A. B. C. iA. iB series AWF for taper 45Gr
	A290-8110-Z716		Wire guide lower D=0.255 mm	
	A290-8110-Z717		Wire guide lower D=0.305 mm	



Spare parts for EDM
FANUC
















Atiur code	Original Code	Picture	Description	Machine model
WATER NOZZLE PARTS				
F124	A290-8110-Y774		Jet nozzle sapphire insert lower D=1.0 mm	ø-A. B. C. iA. iB series AWF
F125-1	A290-8102-Y756		Jet nozzle upper ceramic insert D=1.50 mm	ø-A. B. C. iA. iB series AWF
F125-2	A290-8102-Y757		Jet nozzle upper ceramic insert D=0.50 mm	ø-A. B. C. iA. iB series AWF-fine wire option
F126	A290-8102-X723		Nozzle base upper D=58 mm x 19 mmL - 4 screw holes	ø-A. B series AWF
F127	A290-8110-Y723		Nozzle base upper D=58 mm x 19 mmL - 5 screw holes	ø-C. iA. iC series AWF
F201	A290-8021-Y745		Water nozzle upper & lower D=3.0 mm / Special size	O. P. Q. R. T. W series Manual OD=25 x 16 mmT
			Water nozzle upper & lower D=4.0 mm / Special size	
			Water nozzle upper & lower D=5.5 mm	
F201L	A290-8021-Y755		Water nozzle upper & lower long type D=5.5 mm L=5 / 10 / 20 / 30 mm	O. P. Q. R. T. W series Manual
F204	A290-8037-X879		Water nozzle lower D=5.5 mm	W1. W2. W3. W4 series AWF
F205	A290-8032-Y611		Water nozzle upper D=5.5 mm	W1. W2. W3. W4 series AWF
F206-1	A290-8021-V722		Water nozzle cap upper & lower for F201 / F202 Stainless material	O. P. Q. R. T. W series
F206-2			Slide shaft for wire guide / Dies holder	O. P. Q. R. T. W series
F206-Set			Nozzle holder assembly F206-1 & F206-2	O. P. Q. R. T. W series
F207	A290-8048-X771		Water nozzle upper D=7.0 mm D=24 x 17 mmT	W-0 Manual
F208	A290-8048-X772		Water nozzle lower D=7.0 mm D=26 x 17 mmT	W-0 Manual
F209	A290-8111-X772		Nozzle upper D=2 mm / Same as A290-8109-X772	ø-A. B. C. iA. iB series Manual OD40 x 40 mmT
	A290-8111-X774		Nozzle upper D=4 mm / Same as A290-8109-X7724	
	A290-8101-X776		Nozzle upper D=6.5 mm	
	A290-8101-X777		Nozzle upper D=11 mm	



Spare parts for EDM
FANUC



Atiur code	Original Code	Picture	Description	Machine model
WATER NOZZLE PARTS				
F210	A290-8101-X755		Nozzle holder lower	∅-A. B. C. iA. iB series Manual OD40 x ID16 x 23 mmT
F211	A290-8103-X774		Nozzle lower D=2.0 mm	∅-A. B. C. iA. iB series Manual OD27 x 16 mmT
	A290-8101-X774		Nozzle standard lower D=4.0 mm	
	A290-8101-X756		Nozzle lower D=6.5 mm	
			Nozzle lower D=10 mm for taper	
F212	A290-8102-X752		Nozzle upper D=12 mm F216	∅-A. B. C. iA. iB series AWF H=23.5 mmT
	A290-8104-X775		Nozzle upper D=2.0 mm	
	A290-8102-X775		Nozzle upper D=4.0 mm F214	
	A290-8102-X751		Nozzle upper standard D=6.5 mm	
F213	A290-8102-X772		Nozzle lower D=12 mm F217	∅-A. B. C. iA. iB series AWF H=25.0 mmT
	A290-8104-X774		Nozzle lower D=2 mm	
	A290-8102-X774		Nozzle lower D=4 mm F215	
	A290-8102-X771		Nozzle lower standard D=6.5 mm	
F218	A290-8109-X776		Water nozzle upper D=6.5 mm	∅-A. B. C. iA. iB series Manual OD=40 x 30 mmL
CONNECTED PARTS				
F301	A290-8005-X722		Isolation plate lower	L series Manual
F302	A290-8021-X709		Isolation plate lower 56 x 73 x 10 mmT	O. P. Q. R. T. W series
F303	A290-8032-X334		Isolation plate lower L=39 x 73.6 x 12 mmT	W4 series AWF
F303W	A290-8048-X333		Isolation plate lower L=56 x 73 x 10 mmT	W3 series semi-AWF
F304	A290-8021-X602		Isolation plate upper (Tap distance 35 mm) L= 51 x 33 x 29 mm	O. P. Q. R. T. W series
F304A			Isolation plate upper (Tap distance 39 mm) L=51 x 31 x 30 mm	W0 old type
F304B			Isolation plate upper L=65 x 43 x 23 mm	W series AWF
F305	A290-8101-X509		Isolation plate upper L= 40 x 40 x 34 mm	∅-A. B series



Spare parts for EDM
FANUC


















Atiur code	Original Code	Picture	Description	Machine model
CONNECTED PARTS				
F305-1	A290-8102-600		Guide base upper L=70 x 27 x 48 mm	∅-B series AWF
F305-2	A290-8110-X600		Guide base upper L=70 x 27 x 35 mm	∅-iB series AWF
F306	A290-8101-X312		Isolation plate lower D=72 x 15 mmT	∅-A. B. C series
F306-1	A290-8101-X312		Isolation plate lower D=72 x 10 mmT	∅-i0C series
F307	A290-8101-X761		Guide base lower L= 75 x 56 x 66 mm	∅-A. B series
F307-1	A290-8101-X761		Guide base lower L= 75 x 56 x 66 mm	∅-C series
F307-2	A290-8110-Y761		Guide base lower L= 75 x 56 x 66 mm	∅-iA. iB. C series
F400	A97L-0001-0670		Bearing 1260Z for F401& F402	W series
F401-set	A290-8004-X713		Wire sub roller stainless type OD49 x ID6.5 x 6 mm	W series
F401A			Axle for F401 or F401C	W series
F401C	A290-8004-X713		Wire sub roller ceramic type (Ceramic color is white or red) OD49 x ID6.5 x 6 mm	W series
F401C-Set	A290-8004-V316		Wire sub roller ceramic type full set with axis & bearing (Ceramic color is white or red)	W series
F402	A290-8006-X707		Wire sub roller stainless type OD64 x ID6.5 x 6 mm	W series
F403	A290-8103-X762		Guide base lower stainless type L=40 x 40 x 25 mm	∅-A. B series
F404	A290-8110-Y770		Lower guide block A stainless L=59.5 x 49 x 20 mm	∅-iA. iB. iC series AWF / Manual
F404-1	A290-8101-X765		Lower roller stainless material OD38 x ID22 x 12 mm	∅-A. B. C. iA. iB series



Spare parts for EDM
FANUC









Atiur code	Original Code	Picture	Description	Machine model
CONNECTED PARTS				
F404-1C	A290-8101-X765		Lower ceramic roller OD38 x ID22 x 12 mm	∅-A. B. C. iA. iB series
F405	A290-8101-X394		Feed guide plastic material L=13 x 20 x 19 mm	∅-A. B. C series AWF / Mauai
F406	A290-8110-Z382		Pinch roller ceramic (40/28 x 18mmT) D=40/20(included SUS) x 18 mm	∅-A. B series AWF / Mauai
F407	A290-8110-Z383		Feed roller ceramic OD40/20 x 19 mm	∅-A. B series AWF / Mauai
F408	A290-8102-X393		Feed wire guide polycarbonate L= 57 x 20 x 20 mm	∅-A. B. C series AWF / Mauai
F409	A290-8101-X371		Brake shoe upper OD140 x 22 mm	∅-A. B. C series AWF / Mauai
F409A	A290-8111-X371		Brake shoe / Substitute parts =F409 with 4 tap-screw	∅-A. B. C. iA. iB series AWF / Mauai
F409i			Brake shoe upper OD140 x 22 mmT	∅-iA iB series
F409W	A290-8011-V352		Brake shoe upper	O. P. Q. R. T. W series
F409WO	A290-8039-V352		Brake shoe upper OD100 x 22 mmT	W0 (AWF) series
F410	A290-8110-X382		Pinch roller ceramic without bearing (F502) OD40 x ID28 x 30 mmT	∅-C series AWF / Mauai
F410B	A290-8110-V384#STD		Bearing (F502)	∅-C series AWF / Mauai
F411	A290-8110-X383		Feed roller ceramic OD40 x ID12 x 30 mmT	∅-C series AWF / Mauai
F412	A290-8110-X762		Die guide base for AWF	∅-C. iA. iB series AWF / Mauai
F413	A290-8112-X382		Pinch roller D=80 x 22 mmT	∅-0iA. 1iA. 0iB. 1iB AWF / Mauai
F414	A290-8112-X383		Feed roller D=80 x 22 mmT	∅-0iA. 1iA. 0iB. 1iB AWF / Mauai



Spare parts for EDM
FANUC



Atiur code	Original Code	Picture	Description	Machine model
CONNECTED PARTS				
F415	A290-8037-X330		Pinch roller SUS OD80 x ID27.5-20 mm x 18 mmT	O. P. Q. R. T. W series
F416	A290-8037-X331		Feed roller SUS OD80 x ID11 mm x 18 mmT	O. P. Q. R. T. W series
F417	A290-8037-X805		Pinch roller OD=60 x ID=28 x 18 mmT	W0 AWF
F418	A290-8037-X806		Feed roller OD=60 x ID=10 x 18 mmT	W0 AWF
F419			Ceramic roller OD23 x ID12 x 12 mm	
F501	A97L-0001-0670		DRF2280H Lower bearing for F404-1. F404-1C OD25 x OD22 x ID8 x 7 mmT M422 (608-sus / non-rubber)	∅-0iA. 1iA. 0iB. 1iB AWF / Manual
F502	A97L-0201-0369		SS6001LLU Lower bearing for F406.F410.F417 OD28 x ID12 x 8 mmT (6901RS)	∅-A. B. C series
F503	A97L-0201-0369		SS6203LLU Lower bearing OD40 x ID17 x 12 mmT	∅-A. B series
FE704	A290-8102-X656		Chuck	
FE705	A290-8102-X657		Cutting electrode L=6 x 6 x 10 mmL (ID=2.5 mm)	
FE706	A290-8102-x752		Electrode screw	
FE708	A98L-0001-0972		V-packing 4-inch	∅-0iA
FE709	A98L-0001-0973		V-packing 6-inch	∅-1iA
	A290-8038-X919		Same as A290-8039-Y914	